Multilayer Ceramic Capacitor and Production Method Thereof

ABSTRACT OF THE DISCLOSURE

A multilayer ceramic capacitor comprises internal electrode layers and dielectric layers. An average particle diameter (R), in a direction parallel with said internal electrode layer, in dielectric particles constituting said dielectric layers is larger than a thickness (d) of said dielectric layer. A ratio (R/d) between the average particle diameter (R) and the thickness (d) of the dielectric layer is 1<R/d<3.